

INDEX MAPS.

T. 34 N. R. 9 W. 2nd Mer.

	5	5	5	5	5	5	4					
7	6	22	5	19	4	16	3	13	2	10	1	4
	23		21		18		15		13		10	
6	7	21	8	18	9	15	10	13	11	9	12	4
	23		21		18		15		12		9	
6	18	21	17	17	16	14	15	12	14	9	13	3
	23		20		17		14		12		8	
6	19	20	20	17	21	14	22	11	23	8	24	3
	22		20		17		14		11		8	
6	30	19	29	16	28	14	27	11	26	7	25	3
	22		19		16		13		10		7	
6	31	17	32	16	33	13	34	10	35	7	36	2
	2		2		1		1		1		1	

T. 35 N. R. 9 W. 2nd Mer.

	34	33	33	33	33	33	32					
35	6	56	5	51	4	47	3	43	2	39	1	32
	56		55		50		47		43		39	
35	7	55	8	50	9	46	10	43	11	39	12	32
	55		55		50		46		42		38	
35	18	54	17	49	16	46	15	42	14	38	13	31
	54		53		49		45		41		38	
35	19	53	20	49	21	45	22	41	23	37	24	31
	53		52		48		45		41		37	
34	30	52	29	48	28	44	27	40	26	37	25	30
	52		51		48		44		40		36	
34	31	51	32	47	33	44	34	40	35	36	36	30
	30		29		29		29		29		29	

(P) The figures on the lines refer to the page.

Township 35 North Range 9 West 2nd Mer. Ind. 29

South Boundary

(Mer. 6' & 5' 6")

West on South Side Sec. 36
 34.00 Enter Marsh. Several small ponds in it
 40.00 Set Dr. Sec. cor. in pond no post - no bearings
 43.00 To West Side of Marsh & Enter dry prairie
 50.00 Set post cor. to Sec. 35 & 36 when raise a mound
 Land level & 2nd rate East of marsh, dry prairie
 good timber on East 1/2 oak,

West on South Side Sec. 35
 40.00 Set Dr. Sec. post when raise a mound
 50.00 Set post cor. to Sec. 34 & 35 when raise a mound
 Land rolling first rate prairie

West on South Side Sec. 34
 40.00 Set Dr. Sec. post when raise a mound
 50.00 Set post cor. to Sec. 33 & 34 when raise a mound
 Land same,

West on South Side Sec. 33
 35.00 Enter Marsh
 40.00 Set Dr. Sec. post in Marsh no mound no bearings
 63.00 Leave Marsh
 47.00 Reenter Do.
 50.00 Set post cor. to Sec. 32 & 33 from which
 @ G. oak 12 in. dia bears N. 74 1/4 W. 5.06 lks. dist.
 no other, Land rolling 1st rate marsh except a

West on South Side Sec. 32
 3.00 Leave Marsh
 12.00 Reenter Do.
 23.00 Leave Do. & Enter dry prairie
 40.00 Set Dr. Sec. post when raise a mound
 67.00 Enter Marsh
 80.00 Set post cor. to Sec. 31 & 32 from which

T. 35 N. R. 9 W. 2nd Mer. Indiana,

@ W. Oak 12 in. dia. bears S. 5 W. 3.67 lbs. dist.
 & @ Br. Oak 12 " " " S. 14 E. 3.84 " "
 Land & b. saw, a few scattering oak

West on South Side Sec. 31

15.00 Leave Marsh & enter dry prairie

40.00 Set Cr. Sec. post where track @ mound

75.86 Enter at West Boundary at post, where ^{raised} mound
 on, to Towns 34 & 35 N. R. 9 & 10 W.

Land & b. much as before

Surveyed July 19th, 1884 by

Sylvester Sibley Dep. Sur.

East Boundary

(Ac, 7' 00' b)

North on East Side Sec. 36

26.00 Enter Marsh

210.00 Set Cr. Sec. post in marsh from which

@ W. Oak 18 in. dia. bears S. 1 W. 16.64 lbs. dist.
 no other,

65.00 Enter Marsh

80.00 Set post cor. to Sec. 25 & 36 from which

@ Br. Oak 8 in. dia. bears N. 11 W. 24 lbs. dist.

@ Hickory 8 " " " S. 63 W. 21 " "

Land level & Good each side of Marsh
 Timber oak & Hickory,

North on East Side Sec. 25

40.00 Set Cr. Sec. post from which

@ Y. Oak 14 in. dia. bears N. 9 1/2 E. 6.22 lbs. dist.

@ Br. Oak 5 " " " N. 5 W. 5.97 " "

46.31 To Br. Sec. 4 " "

66.04 " " Do Do 20 " "

78.80 Enter Wet prairie

80.00 Set post cor. to Sec. 24 & 25 from which

@ Br. Oak 10 in. dia. bears S. 6 1/2 W. 1.60 lbs. dist.

@ W. Oak 13 in. dia. bears N. 59 W. 2.22 lbs. dist.
Land level & first rate, thinly timbered with oak
and Hickory

North on East Side Sec. 24

- 2.50 Land wet prairie
18.00 Enter Marsh
32.50 Leave Do
36.50 To @ W. Oak 10 in. dia.
40.00 Set Dr. Sec. post from which
 @ W. Oak 14 in. dia. bears S. 42 W. 34 lbs. dist.
 @ " Do 8 " " " N. 26 E. 46 " "
53.85 To @ W. Oak 8 in. dia.
54.00 Enter wet prairie
56.00 To @ Run 3 lbs wide cr. East,
58.00 Leave wet prairie
77.00 Enter dry Do
80.00 Set post cor. to Sec. 13 & 24 from which
 @ W. Oak 12 in. dia. bears S. 12 E. 303 lbs. dist.
 @ " Do 3 " " " S. 7 W. 3.35 " "
Land H. (much as before, marsh excepted,

North on East Side Sec. 13

- 38.00 Enter Wet prairie
40.00 Set Dr. Sec. post from which
 @ W. Oak 26 in. dia. bears N. 21 W. 883 lbs. dist.
 no other,
45.00 To Road To Chicago E & W,
49.00 Leave wet prairie & Enter Timber
76.00 Leave Timber & Enter prairie
80.00 Set post cor. to Sec. 12 & 13 from which
 @ W. Oak 4 in. dia. bears S. 4 W. 4.50 lbs. dist.
 @ Y. Oak 10 " " " S. 11 E. 3.02 " "
Land rolling & 2nd rate Some scattering
oak
-

T. 35 N. R. 9 W. 2nd Mer. 1st

Path on East Side Sec. 12

- 18.00 To a sluggish stream 200 yds wide ex East
 40.00 Set Dr. Sec. post where take a mound
 65.00 Enter marsh
 80.00 Set post cor. to Sec. 1 & 12 from which
 @ Y. oak 16 in. dia. bears N. 35 $\frac{1}{2}$ W. 6.41 Mo. dist.
 @ " Do 6 " " " N. 14 W. 8.94 " "
 Land flat & 2nd rate, no timber,

Path on East Side Sec. 1

- 8.50 Leave marsh
 15.10 To a Y. oak 10 in. dia.
 40.00 Set Dr. Sec. post from which
 @ Y. oak 6 in. dia. bears N. 8 W. 2.53 Mo. dist.
 @ " Do 14 " " " N. 37 W. 2.65 " "
 48.48 To a Y. oak 9 " "
 55.00 Enter marsh
 71.00 Leave Do
 73.00 Enter Do
 80.00 Set Temporary post cor. to T. 35 & 36 N. R. 9 & 10 W.
 Land flat & poor timber 0 with undergrowth same
 Surveyed July 19th 1834 by
 Sylvester Sibley Dep't. Sur.

North Boundary

(Var. 6° 10' E)

West on South Side Sec. 36 T. 36 N. R. 9 W.

Began in marsh

- 18.00 Leave marsh
 40.00 Set Dr. Sec. post from which
 @ Y. oak 12 in. dia. bears S. 34 W. 8 Mo. dist.
 @ Y. oak 20 " " " N. 47 $\frac{1}{2}$ W. 1.14 " "
 43.00 Enter marsh
 79.00 Leave Do
 80.00 Set post cor. to Sec. 35 & 36 from which
 @ Y. oak 10 in. dia. bears N. 27 W. 1.27 Mo. dist.

@ Y. oak 20 in. dia. bears N. 10 1/2 E. 154 lbs. dist.
Land level + poor. Timber oak,

Nest on South Side Sec. 35 T. 36 N. R. 9 W.
22.30 To @ Y. oak 20 in. dia.
40.00 Set Dr. Sec. post from which
@ Y. oak 9 in. dia. bears N. 64 W. 41 lbs. dist.
@ Y. oak 10 " " " N. 68 E. 50 " "
48.07 @ " Do 12 " "
51.00 Enter Marsh
72.00 Leave Do
81.00 Set post on. to Sec. 34 & 35 from which
@ Y. oak 12 in. dia. bears N. 43 W. 13 lbs. dist.
@ Y. oak 14 " " " N. 81 E. 35 " "
Land & C. Sand,

Nest on South Side Sec. 34 T. 36 N. R. 9 W.
40.00 Set Dr. Sec. post from which
@ Y. oak 14 in. dia. bears S. 89 E. 420 lbs. dist.
@ " Do 16 " " " N. 86 W. 3, 92 " "
50.00 Set post on to Sec. 33 & 34 from which
@ Y. oak 12 in. dia. bears N. 41 E. 300 lbs. dist.
@ " Do 20 " " " N. 67 1/2 W. 184 " "
Land & C. Sand

Nest on South Side Sec. 33 T. 36 N. R. 9 W.
25.00 Enter Marsh
40.00 Set Dr. Sec. post in water from 1 to 3 ft deep from which,
@ Y. oak 24 in. dia. bears S. 89 1/2 E. 1537 lbs. dist.
No other
80.00 Set post on. to Sec. 32 & 33. no mound now
beavings. Water too deep to raise a mound
Land flat & poor. Some few oak in places

Nest on South Side Sec. 32 T. 36 N. R. 9 W.
40.00 Set gr. Sec. post water too deep for mound,

T. 35 N. - R. 9 W. 2nd Mer. Indiana

80.00 Set post cor. to S. c. 31 & 32. Water deep as before
Land all marsh of the poorest kind

West on South Side S. c. 31 T. 36 N. R. 9 W.

40.00 Set Pr. S. c. post Water too deep for a mound

55.00 To a stream 30th side cor. N. W.

77.80 Arrive old West Boundary 30th S. of Temporary post
Where set post cor. to T. 35 & 36 N. of R. 9 & 10 West
no mound nor bearings on account of Water,
Land all marsh

Surveyed July 25th 1834 by

Stephen Libbey Dep't. Sur.

West Boundary

(Bar. 7' 00" E)

North on East Side S. c. 36 T. 35 N. R. 10 W.

Began in dry prairie

17.00 Leave dry prairie

28.00 Enter Marsh

40.00 Set Pr. S. c. post from which

to Y. Oak 4 in. dia. bears S. $2\frac{1}{4}$ E. 11.92 lbs. dist.

& to Y. Oak 12 " " " N. $85\frac{1}{2}$ E. 5.15 " "

45.00 Leave Marsh

50.00 Set post cor. to S. c. 25 & 36 from which

to Hickory 4 in. dia. bears N. 50 W. 66 lbs. dist.

& to Br. Oak 5 " " " N. 70 W. 106 " "

Land rolling soil good, Marsh excepted thickly
timbered with oak & Hickory

North on East Side S. c. 25 T. 35 N. R. 10 W.

40.00 Set Pr. S. c. post from which

to W. Oak 5 in. dia. bears S. 71 W. 352 lbs. dist.

& to Br. Oak 4 " " " N. $56\frac{1}{2}$ W. 3.18 " "

80.00 Set post cor. to S. c. 24 & 25 from which

to Br. Oak 7 in. dia. bears S. 19 W. 61 lbs. dist.

& to " Do 10 " " " S. $70\frac{1}{2}$ W. 122 " "

Land rolling, Soil good, Timber oak & Hickory

North	on East Side Sec. 24 T. 35 N. R. 10 West
1.00	Enter Marsh
14.00	Leave Do
40.00	Set Dr. Sec. post from which
	to Br. oak 7 in. dia. bears S. 8 W. 1.19 lbs. dist.
	& to " Do 6 " " " N. 46 W. 1.77 " "
43.65	To @ W. oak 8 " "
80.00	Set post cor. to Sec. 13 & 24 from which
	to W. oak 8 in. dia. bears S. 54 W. 36 lbs. dist.
	& to Br. oak 7 " " " N. 73 W. 24 " "
	Land &c. much the same as last line

North	on East Side Sec. 13 T. 35 N. R. 10 W.
14.73	To @ Y. oak 10 in. dia.
40.00	Set Dr. Sec. post from which
	to Br. oak 10 in. dia. bears S. 7 W. 1.97 lbs. dist.
	& to Hickory 9 " " " N. 74 E. 71 " "
52.88	To @ Do 7 " "
68.43	" @ Y. oak 14 " "
69.00	" Road to Chicago cor.
79.00	Enter Wet prairie
80.00	Set post cor. to Sec. 12 & 13 from which
	to Y. oak 6 in. dia. bears S. 20 E. 2.32 lbs. dist.
	& to W. oak 24 " " " S. 1 1/2 W. 4.35 " "
	Land &c. same

North	on East Side Sec. 12 T. 35 N. R. 10 W.
40.00	Set Dr. Sec. post where raised a mound
57.50	To @ Stream 40 lbs. wide course N. E.
80.00	Set post cor. to Sec. 1 & 12 where raised a mound
	Land flat & second rate

North	on East Side Sec. 1 T. 35 N. R. 10 West
10.00	Leave wet prairie & Enter marsh

T. 35 N. — R. 9 W. 2nd Mer. Indiana

40.00 Set Cr. Sec. post, but could not raise a mound
on account of water

80.00 Set Temporary post cor. to T. 35 + 36 N. of R. 9 + 10 W.
Sacrificial + poor all marsh
Surveyed July 22nd, 1834 by
Sylvester Sibley Dep^t Sur,

Subdivisions

C. L. ————— (Var. 6° 50' E.)

North Between Sec. 35 + 36

20.00 Enter Marsh S. E. + N. W.

31.00 Leave Do + Enter Timber S. E. + N. W.

40.00 Set Cr. Sec. post from which

@ Y. Oak 12 in. dia. bears North 17 lbs. dist^t
+ @ " Do 18 " " " S. 53 W. 66 " "

50.00 Enter Marsh E. + W.

80.00 Set post cor. to cor. to Sec. 25 + 26 S. + 36 from which

@ Bk. Oak 18 in. dia. bears S. 52 E. 135 lbs. dist^t
+ @ " Do 20 " " " N. 2 E. 125 " "

Land 20 ches. S. end level any prairie. Clay soil
Le could rate, the remainder nearly all marsh
third rate timber scattering Y. + B. Oak no W. G.

East on Random between Sec. 25 + 36 Var. 5° 45' E.

80.20 Enter at Range line 32 lbs South of post. Land
mostly level with small marshes clay soil
third rate, W. Oak B. + Y. Oak + Hickory scatter-
ing + large undergrowth Hogle root root wood
yellow willows

West correct line between Sec. 25 + 36, S. 89° 47' W.

40.10 Set Cr. Sec. post from which

@ B. Oak 3 in. dia. bears N. 85 1/2 W. 68 lbs. dist^t
+ @ " Do 22 " " " N. 65 1/2 W. 1.63 " "

80.20 Section corner,

J. 35 N. R. 9 W. 2nd Mer. Indiana 37

North Between Sections 25 & 26

25.85 To @ N. oak 30 in. dia,

30.96 " @ Y. oak 8 " "

40.00 Set Dr. Sec. post from which

@ N. oak 20 in. dia. bears S. 16 1/2 E. 30 lks. dist.

& @ Hickory 5 " " " N. 58 W. 21 " "

80.00 Set post cor. to Sec. 23, 24, 25 & 26 from which

@ Hickory 8 in. dia. bears S. 37 1/2 E. 28 lks. dist.

& @ Y. oak 14 " " " S. 87 W. 81 " "

Land tolerably level dry clay soil 3rd rate N. Y. & B.

Oak & Hickory underground Hazel Willow & Red root

East on Random between Sec. 24 & 25

45.00 Enter marsh cor. N. E. & S. W.

62.00 Leave Do

80.16 Intersect Range line 80 lks. South of post, Land
N. 1/2 level dry clay soil, Sec. 2 rate 6 1/2 post marsh
clay soil 3rd rate Timber N. B. & Y. oak & Hickory
undergrowth Hazel Willow & Red root.

West Corner line between Sec. 24 & 25 S. 89. 25 W.

7.13 To @ Hickory 7 in. dia,

40.08 Set Dr. Sec. post from which

@ N. oak 24 in. dia. bears S. 35 E. 35 lks. dist.

& @ " Do 24 " " " N. 27 E. 35 " "

42.21 @ " Do 20 " "

50.16 Section Corner,

North Between Sections 23 & 24

16.54 To @ B. oak 30 in. dia,

40.00 Set Dr. Sec. post from which

@ B. oak 16 in. dia. bears S. 88 W. 7.36 lks. dist.

& @ Y. oak 18 " " " N. 1 W. 16.30 " "

65.65 To @ B. oak 30 " "

80.00 Set post cor. to Sec. 13, 14, 23 & 24 from which

@ N. oak 10 in. dia. bears S. 47 E. 2.50 lks. dist.

Y. 35 N. — E. 4 W. 2nd Mer. Indiana

6.2 + @ B. oak 5 in. dia. bears S. 84 1/2 E. 3.05 lbs. dis.
 Land level any clay soil second rate W. Y. + B.
 Oak + Hickory, undergrowth Hazel Willow + red root

East on Random between Sec. 13 + 24

50.15 Intersect Range line 1.16 lbs. South of post land
 1/2 rolling with some small marshes clay
 Soil 3rd rate E. 1/2 dry gently rotting clay soil
 first rate Timber scattering B. Y. + W. Oak + Hickory
 undergrowth Hazel Rosin Wood &c.

West corner line between Sec. 13 + 24 S. 89, 10 W.
 40.07 1/2 Set Dr. Sec. post from which
 @ B. oak 20 in. dia. bears N. 37 E. 4.26 lbs. dis.
 + @ " Do 22 " " " N. 85 1/2 W. 10.03 " "
 70.62 @ W. Oak 18 " "
 86.15 Section corner

North Between Sections 13 + 14

40.00 Set Dr. Sec. post from which
 @ B. Oak 4 in. dia. bears East ~ 35 lbs. dis.
 + @ " Do 6 " " " N. 9 1/2 W. 58 " "
 44.75 To Hickory 13 " "
 55.64 " @ B. Oak 9 " "
 58.84 " @ " Do 8 " "
 62.64 " @ Hickory 10 " "
 70.87 " Road from Laport to Rapids of Illinois River
 72.50 Corner Marsh crs. E. & W.
 80.00 Set post in Marsh cor. to Sec. 11, 12, 13 + 14 from, Wk.
 @ Y. Oak 10 in. dia. bears N. 9 1/2 E. 2.70 lbs. dis.
 @ W. Oak 9 " " " N. 32 W. 4.00 " "
 Land level with small marshes. Clay soil
 third rate Timber B. Y. + W. Oak + Hickory but
 little undergrowth, August 28, 1884

East on Random between Sec. 12 + 13

O. 35 N. - B. 9 N. 2nd Mer, Indiana 39

4.00 Leave Marsh
80.16 Intersect Range line 1.78 lks South of post land level dry clay soil 2nd rate B. Y. & W. oak + Hickory no undergrowth;

West Correct line between Sec. 12 & 13 S. 88° 45'
40.08 Set Dr. Sec. post from which
 a Y. oak 7 in. dia. bears S. 33 1/2° W. 4.69 lks. dia
 a B. oak 3 " " " S. 15 1/2° W. 3.68 " "
80.16 Section corner,

North Between Sections 11 & 12
11.00 Leave Marsh & ascend E. point Sand ridge east N. & E.
14.00 Summit Do " " Do
16.62 To a Y. oak 15 in. dia.
22.00 Descend to marsh prairie on E. & S. N.
41.00 Set Dr. Sec. post when raise a mound in wet prairie of Earth & Sod
80.00 Set post cor. to Sec. 1, 2, 12 & 13 when raise a mound of Earth & Sod in wet prairie, land S. 1/2 Marsh & Sand ridge 3rd rate. Timber on Ridge thick Y. & W. oak undergrowth Hazel Kewelebung N. 1/2 Wet prairie clay soil 3rd rate high grass & Willow.

East on Ransom between Sec. 1 & 12
80.18 Intersect E. line of Sec. 2, 1.10 lks South of post, land level wet prairie clay soil 3rd rate hollow scattering, & short grass

West Correct line between Sec. 1 & 12 S. 88° 30'
40.09 Set Dr. Sec. post when raise a mound of Earth & Sod
80.18 Section corner,

North Between Sections 1 & 2
17.50 Leave wet prairie & Enter Timber
18.38 To a Y. oak 12 in. dia.,

T. 35 N. — R. 9 W. 2nd Mer. Indiana

- 40.00 Set Dr. & C. post. from which
 @ W. Oak 24 in. dia. bears S. 89 E. 33 lks. dist.
 @ Y. Oak 8 " " " S. 59 W. 13 " "
- 53.70 To W. Oak 6 " " "
- 71.00 Enter Marsh course E & W.
- 82.50 Leave Do
- 83.00 Intersect N. Boundary of Township 13 lks N. of
 post where set post cor. to Sec. 1 & 2 from which
 @ Y. Oak 10 in. dia. bears N. 44 W. 177 lks. dist.
 & @ " Do 18 " " " N. 67 E. 2.60 " "
- Land 17 lks S. marsh prairie clay soil, 3rd rate
 N. part rolling sandy ridges & small marshes
 3rd rate. Timber W. & Y. Oak, no undergrowth,

North Between Sections 34 & 35

- 110.00 Set Dr. & C. post in prairie where raise a mound of
 Earth & Soil
- 54.00 Enter Marsh crs, E. & W.
- 70.50 Leave Do
- 80.00 Set post cor. to Sec. 26, 27, 34 & 35 where raise a
 mound of Earth & Soil, land prairie somewhat
 - at rolling with small marshes on N. part, clay
 soil 2nd rate. Rosin weed & prairie grass with
 scattering Hazel bushes,

East on Random between Sec. 26 & 35

- 75.00 Leave prairie & Enter Timber
- 80.55 Intersect E. line of Sec. 26, 7 lks North of post
 Land nearly all prairie rolling dry clay soil 2nd
 rate. Hazel bushes Rosin weed grass &c,

West Cor. at line between Sec. 26 & 35

- 110.27 Set Dr. & C. post. where raise a mound
- 80.55 Section Corner,

North Between Sections 26 & 27

- 40.00 Set Dr. Sec. post when made a mound
 50.00 Leave prairie & Enter Timber
 80.00 Set post cor. to Sec. 22, 23, 26 & 27 from which
 @ W. Oak 12 in. dia. bears S. 11 W. 28 lbs. dist.
 @ " Do 18 " " " N. 6 1/2 W. 12 " "
 Land 1/2 prairie dry getting rolling clay soil
 2nd rate Noisier Wood & prairie grass short N. 1/2 rolling
 dry clay soil 3rd rate, Timber W. Y. & B. Oak. Hickory
 Scattering undergrowth Hazel & Willow thick
 August 29, 1834

East on Random between Sec. 23 & 26

- 50.41 Intersect E. line of Sec. 14 the N. of post, land
 level with small marshes clay soil 3rd rate
 W. & Y. Oak & Hickory, Scattering undergrowth Hazel
 Red root & Y. Willow thick

West corner line between Sec. 23 & 26

- 40.20 1/2 Set Dr. Sec. post from which
 @ Y. Oak 3 in. dia. bears N. 55 E. 55 1/2 lbs. dist.
 @ Hickory 3 " " " N. 55 1/2 W. 65 " "
 80.41 Section corner,

North Between Sections 22 & 23

- 5.15 To @ W. Oak 22 in. dia,
 40.00 Set Dr. Sec. post in small marsh from which
 @ B. Oak 10 in. dia. bears S. 2 1/2 W. 6. 16 lbs. dist.
 @ Y. Oak 8 " " " N. 8 W. 6. 34 " "
 80.00 Set post on to Sec. 14, 15, 22 & 23 from which
 @ B. Oak 10 in. dia. bears N. 52 W. 84 lbs. dist.
 @ " Do 12 " " " S. 64 1/2 E. 12 " "
 Land rolling with low marshy places, clay soil
 poor 3rd rate Y. W. & B. Oak & Hickory Scattering
 but little undergrowth

East on Random between Sec. 14 & 23

T. 35 N. — R. 9 W. 2nd Mer. Ind. C.

56.37 Intersect E. line of Sec. 13 the South of post, land
 Level with marshy places, thin clay soil 3rd rate
 Y. & B. Oak & Hickory Scattering & scanty undergrowth
 Hazel red root & Willow,

West Corner line between Sec. 14 & 23

7.72 To B. Oak 10 in. dia,

40.18 $\frac{1}{2}$ Set Dr. Sec. post from which

to Y. Oak 3 in. dia, bears S. 15 $\frac{1}{2}$ W. 28 the the dist.

" " Do 4 " " " S. 17 $\frac{1}{2}$ E. 45 " " "

80.37 Section corner,

North Between Sections 14 & 15

40.00 Set Dr. Sec. post from which

to Hickory 6 in. dia, bears N. 55 E. 108 the. dist.

& to B. Oak 5 " " " N. 62 W. 115 " "

74.50 To Road from Laport to Peoria Illinois River

77.00 Enter marsh ers, E. & W.

80.00 Set post cor. to Sec. 10. 11. 14 & 15 in marsh.

When raise a mound, Land mostly dry rolling,
 thin clay soil 3rd rate Y. B. & W. oak & Hickory
 Scattering & small undergrowth Hazel red root & Willow

East on Random. between Sec. 11 & 14

35.00 Leave marsh & enter timber

73.00 Leave timber & enter marsh ers, N. & S.

80.40 Intersect E. line of Sec. 29 the S. of post, land mostly
 marsh a narrow ridge of dry land N. E. & S. W. 3rd rate
 thin soil Y. & W. oak on ridge undergrowth huckleberry,

West Corner line between Sec. 11 & 14

9.50 To Y. Oak 20 in. dia,

40.20 Set Dr. Sec. post from which

to Y. Oak 18 in. dia, bears S. 5 E. 36 the. the. dist.

& to " Do 20 " " " N. 70 W. 21 " "

80.40 Section corner,

J. 35 N. - P. 9 W. 2nd Mer. Ind. 43

North Between Sections 10 & 11
 32.00 Leave marsh & enter timber
 40.00 Set Cr. Sec. post from which
 to W. oak 12 in. dia. bears N. 23 E. 187 lbs. dist.
 & to " Do 5 " " " N. 54 E. 234 " "
 80.00 Set post cor. to Sec. 2, 3, 10 & 11 from which
 to W. oak 20 in. dia. bears N. 31 W. 148 lbs. dist.
 & to W. oak 18 " " " N. 89 1/2 E. 264 " "
 Land all wet clay soil, 3rd rate 1/2 & W. oak on N.
 part scattering, undergrowth Hackberry & willow

East on Random between Sec. 2 & 11
 60.00 Leave timber & enter wet prairie cor. N. E. & S. W.
 80.58 Intersect E. line of Sec. 3 the South of post. land
 level 60 lbs W. of post mostly dry thin sandy soil
 E. part wet prairie clay soil 3rd rate. Timber West
 1/2 & W. oak undergrowth Hackberry & Willow

West Corner of line between Sec. 2 & 11
 40.29 Set Cr. Sec. post from which
 to W. oak 4 in. dia. bears N. 84 1/2 E. 210 lbs. dist.
 to W. oak 24 " " " N. 84 1/2 W. 141 " "
 47.77 To W. oak 30 " "
 80.58 Section corner, August 30th 1834

North Between Sections 2 & 3
 10.00 Leave wet prairie & enter timber
 40.00 Set Cr. Sec. post from which
 to W. oak 12 in. dia. bears S. 17 W. 15 lbs. dist.
 & to W. oak 13 " " " N. 65 1/2 W. 10 " "
 43.69 To " Do 20 " "
 69.50 " to W. oak 22 " "
 83.44 Intersect North Boundary of Township 86 lbs West
 of post. Where set post cor. to Sec. 2 & 3 from which
 to W. oak 12 in. dia. bears S. 51 1/2 W. 107 lbs. dist.
 & to " Do 12 " " " South 58 " "

T. 35 N. R. 9 W. 2nd Mo. Indiana

C.S. Sanded level mostly dry Sandy Soil 3rd rate
 N. Y. & W. Oak, underground Huckleberry & Yellow

Path Between Sections 33 & 34

40.00 Set Dr. & C. post in prairie where raise a mound
 of Earth & Soil

72.00 Enter Marsh cor. E & W.

80.00 Set post in Marsh cor. to Sec. 27, 28, 33 & 34 no
 mound or bearings. Land all prairie roll-
 ing with small marshes. Clay Soil 2nd rate
 underground Hoge bushes Rose weed & prairie
 grass short.

East on Ransom between Sec. 27 & 34

3.00 Leave Marsh

80.36 Enter at E. line of Sec. 4 the North of post, Land
 prairie gently rolling dry Clay Soil 2nd rate Hoge
 bushes rose weed & prairie grass short.

West on E. line between Sec. 27 & 34

40.18 Set Dr. & C. post where raise a mound of Earth
 & Soil

80.86 Section Corner.

North Between Sections 27 & 28

5.50 Leave Marsh

7.00 Leave prairie & Enter scattering Timber

40.00 Set Dr. & C. post from which

to W. Oak 12 in. dia. bears N. 37 W. 110 Mo. dist.

& to Y. Oak 16 " " " N. 5 W. 131 " "

56.45 to do " Do 20 " " "

58.22 " to B. Oak 10 " " "

50.00 Set post in pond water 12 in. deep corner to
 Sec. 21, 22, 27 & 28 from which

to Y. Oak 18 in. dia. bears S. 1/2 E. 11, 11 Mo. dist.

& to B. Oak 5 " " " S. 89 E. 4. 21 " "

C. L. L. Said rolling with small ponds & marshes clay
Soil 3rd rate Y. & W. oak & Hickory, underground Hazel
Willow & red root,

East on Ransom between Sec. 22 & 27

80.50 Ant. at E. line of Sec. 26 lks. North of post, land
very rolling barrens clay Soil 3rd rate Y. oak and
Hickory Scattering small underground Hazel bushes

West Corner of line between Sec. 22 & 27

10.25 Set Dr. L. C. post from which

W. oak 12 in. dia bearing West 90 lks. dist.
& W. Hickory 3 " " " N. 21 1/2 E. 77 " "

11.15 To W. oak 12 " "

80.50 Section corner.

North Between Sections 21 & 22

40.00 Set Dr. L. C. post from which

W. oak 9 in. dia bearing S. 63 E. 24 lks. dist.
& W. " Do 10 " " " S. 53 1/2 E. 25 " "

80.00 Set post cor. to Sec. 15, 16, 21 & 22 from which

W. oak 9 in. dia bearing S. 11 W. 65 lks. dist.
& W. " Do 8 " " " S. 57 W. 134 " "

Land broken with marshes, and ponds in low
places clay Soil third rate. Scattering W. & Y. oak
undergrowth Hazel,

East on Ransom between Sec. 15 & 22

80.65 Ant. at E. line of Sec. 16 lks. N. of post, land
Broken Barrens with marshes and ponds clay Soil
3rd rate Y. & W. oak & Hickory Scattering underground
Hazel & red root,

West Corner of line between Sec. 15 & 22

10.32 1/2 Set Dr. L. C. post from which

W. oak 18 in. dia bearing N. 46 1/2 E. 136 lks. dist.

T. 35 N. - R. 9 W. 2nd Sec. Indiana

Ckhs @ B. Oak 8 in. dia. bears S. 51 1/2 N. 2.92 lbs. dist.
80.65 Section corner,

North Between Sections 15 & 16

40.00 Set Dr. Sec. post from which
@ B. Oak 20 in. dia. bears N. 86 E. 10.48 lbs. dist.
no other

63.10 To @ Y. Oak 12 in. dia.

67.93 " Road from Lapate to Rapids of Illinois River

80.00 Entrance of Wet prairie E. & W. when Set post corner to
Sections 9, 10, 15 & 16 from which
@ W. Oak 20 in. dia. bears S. 56 E. 4.85 lbs. dist.
@ Y. Oak 22 " " " N. 1/2 E. 6.70 " "
Land mostly dry rolling bearing S. 1/2 Clay Soil
N. 1/2 Sandy chert rate. Y. & B. & W. Oak, undergrowth
Hazel & Houshelberry, August 31st, 1834

East on Boundary between Sec. 10 & 15

80.50 Entrance of E. line of Sec. 10, 22 lbs N. of post, land
level on border of wet prairie S. of line low
Sandy ridges N. Wet prairie clay soil 3rd rate
Timber on Ridge Y. & B. Oak undergrowth
Houshelberry,

West Corner of line between Sec. 10 & 15

40.25 Set Dr. Sec. post from which
@ W. Oak 12 in. dia. bears S. 62 E. 4.8 lbs. dist.
@ " Do 9 " " " N. 5 W. 55 " "
80.50 Section corner,

North Between Sections 9 & 10

40.00 Set Dr. Sec. post in wet prairie too wet for a
mound,

80.00 Set post cor. to Sec. 3, 4, 9 & 10 from which
@ Red Oak 16 in. dia. bears N. 48 1/2 E. 2.09 lbs. dist.
@ Do Do 18 " " " N. 26 W. 2.90 " "

C. L. S. Land level wet prairie clay soil, chert rate. Bullwashed
flag and marsh grass,

East on Random between Sec. 3 & 10
80.37 Intersect E. line of Sec. 3, 6th North of post land wet
prairie, growth same with a few scattering Red oaks

West corner line between Sec. 3 & 10
40.18 1/2 Set Dr. Sec. post from which
10 Y. oak 10 in. dia. bears S. 82 1/2 E. 2.64 lbs. dist.
10 " Do 10 " " " N. 62 1/2 E. 1.66 " "
87.37 Section corner

North Between Sections 3 & 4
10.00 Enter scattering timber
24.42 To a Y. oak 22 in. dia.
34.75 " a W. oak 16 " "
40.00 Set Dr. Sec. post from which
10 Y. oak 16 in. dia. bears South 525 lbs. dist.
10 Y. oak 20 " " " N. 4 1/2 W. 5.72 " "
83.55 Intersect N. Boundary of Township 1, 11 lbs. W. of post
where Set post cor. to Sec. 3 & 4 from which
10 Y. oak 18 in. dia. bears S. 50 W. 30 lbs. dist.
10 " Do 12 " " " S. 25 E. 29 " "
Land level wet chert rate scattering bunches of timber
Y. B. & W. oak, undergrowth Hickory & Willow

North Between Sections 32 & 33
40.00 Set Dr. Sec. post from which
10 Y. oak 9 in. dia. bears N. 59 E. 33 lbs. dist.
10 Hickory 5 " " " S. 28 E. 19 " "
56.47 To a Do 6 " "
68.79 " a B. oak 16 " "
75.36 " a Y. oak 18 " "
80.00 Set post cor. to Sec. 28, 29, 32 & 33 from which
10 Y. oak 9 in. dia. bears N. 74 E. 18 lbs. dist.

T. 35 N. R. 4 W. 2nd Mer. Indiana

E. Sec. 6 Y. oak 18 in. dia. bears S. 56 $\frac{1}{2}$ E. 31 lbs. dist.
 Land rolling barrens mostly dry clay soil third rate
 Y. W. & B. oak, Hickory small & short, but little undergrowth

East on Random between Sec. 28 & 33

42.00 Leave Timber & Enter prairie on N. E. & S. W.

55.00 Enter marsh

80.46 Intersect E. line of Sec. 27 the North of post. Land
 M¹/₂ rolling barrens mostly dry clay soil 3rd rate
 E. 1st/₂ mostly in marsh 5th rate

West Corner line between Sec. 28 & 33

40.23 Set Dr. Sec. post from which

to B. oak 10 in. dia. bears N. 86 $\frac{1}{2}$ E. 16 lbs. dist.

to Hickory 3 " " " N. 55 $\frac{1}{2}$ E. 45 " "

71.87 Set Y. oak 18 " "

76.45 " " Do. 15 " "

80.46 Section Corner,

North Between Sections 28 & 29

5.22 Set Y. oak 12 in. dia.

6.74 " " Do. 15 " "

10.59 " " Y. oak 12 " "

40.00 Set Dr. Sec. post from which

to Hickory 10 in. dia. bears S. 27 $\frac{1}{2}$ E. 2.38 lbs. dist.

to Do. 12 " " " N. 10 $\frac{1}{2}$ E. 2.06 " "

80.00 Set post on. to Sec. 20, 21, 28 & 29 from which

to B. oak 9 in. dia. bears S. 5 $\frac{1}{2}$ E. 4.45 lbs. dist.

to " Do 3 " " " N. 24 E. 1.03 " "

Land mostly dry rolling barrens. clay soil 3rd rate, Y. B. & W. oak & Hickory scattering undergrowth
 Hazel & Willow

East on Random between Sec. 21 & 28

50.28 Intersect E. line of Sec. 23 the North of post

Land broken barrens, with small marshes

6.00 clay soil third rate, Scattering Y. B. & W. oak and Hickory undergrowth Hazel bushes and reed root

West Correct line between Sec. 21 & 28
 40.11 1/2 Set Dr. Sec. post from which
 @ B. oak 16 in. dia. bears S. 79 1/2 E. 202 lks. dist.
 @ Y. oak 18 " " " N. 42 1/2 W. 288 " "
 80.23 Section corner, Sept 1st 1834

North Between Sections 20 & 21
 40.00 Set Dr. Sec. post where take a mound from which
 @ Y. oak 22 in. dia. bears N. 1/4 W. 10.09 lks. dist.
 no other near,
 74.38 Set @ B. oak 8 in. dia,
 80.00 Set post cor. to Sec. 16, 17, 20 & 21 from which
 @ Y. oak 18 in. dia. bears N. 4 1/4 W. 2,53 lks. dist.
 @ B. oak 9 " " " S. 76 1/2 E. 1,55 " "
 Land rolling barrens & Marshes, clay soil 3rd rate,
 Scattering Y. B. & W. oak, undergrowth Hazel,

East on Random between Sec. 16 & 21
 80.07 Intersect E. line of Sec. 8 lks. North of post
 Land rolling barrens with small marshes
 clay soil, third rate, Y. B. & W. oak & Hickory
 Scattering undergrowth Hazel bushes

West Correct line between Sec. 16 & 21
 40.03 1/2 Set Dr. Sec. post from which
 @ B. oak 8 in. dia. bears S. 85 1/2 E. 71 lks. dist.
 @ " Do 16 " " " S. 65 W. 408 " "
 80.07 Section corner,

North Between Sections 16 & 17
 20.02 Set @ Hickory 16 in. dia,
 22.50 " @ Y. oak 22 " "
 40.00 Set Dr. Sec. post from which

Y. 35 N. - R. 9 W. 2nd Mer. Indiana

6th. @ Hickory 6 in. dia bears N. 64 W. 239 lbs. dis.^t
 & @ W. Oak 14 " " " N. 10 1/2 W. 239 " "
 49.19 So @ Y. Oak 8 " "
 54.23 " @ " Do 12 " "
 57.20 " @ Road from Laport to Rapids of Illinois River
 68.00 Leave Timber & Enter wet prairie cr. E. & W.
 80.00 Set post on. to Sec. 8, 9, 16 & 17 in prairie from which
 @ Y. Oak 15 in. dia bears N. 1/4 W. 15. 4 lbs. dis.^t
 no other mar, land rolling barrens, 1/2
 clay soil, N. 1/2 mostly low sand ridges all
 this a rate Y. & W. Oak & Hickory, underground Hazel
 Huckleberry & Redroot,

East on Random between Sec. 9 & 16
 81.00 Intersect E line of Sec. 9, 20 lbs North of post
 Sand wet prairie clay soil thin rate, Bullrushes
 and marsh grass high and thick,

West corner of line between Sec. 9 & 16
 110.00 Set Cr. Sec. post in wet prairie from which
 @ Red Oak 24 in. dia bears N. 86 E. 14.39 lbs. dis.^t
 no other
 80.00 Section corner,

North Between Sections 8 & 9
 110.00 Set Cr. Sec. post in wet prairie too wet for a mound
 80.00 Set post in wet prairie where raise a small
 mound on. to Sec. 4, 5, 8 & 9, land wet
 prairie thin rate Bullrushes flags and marsh
 grass high & thick,

East on Random between Sec. 4 & 9
 80.00 Intersect E line of Sec. 11, 11 lbs North of post
 Sand wet prairie with scattering Y. & W. Oak Timber
 on E. part. Soil sandy thin rate,

West Correct line between Sec. 4 & 9
 40.00 Set Dr. Sec. post where raise a mound
 80.04 Section corner.

North Between Sec. 4 & 5
 40.00 Set Dr. Sec. post where raise a mound
 83.55 Intersect N. Boundary of Township 1 Chain N. of
 post, where set post & raise a mound on to Sec.
 4 & 5. Land level wet prairie third rate brushwood
 and prairie grass. Sept 2nd 1854

North Between Sections 31 & 32
 13.00 Leave marsh cor. N.E. & S.W.
 40.00 Set Dr. Sec. post from which
 to B. Oak 12 in. dia, bears S. 37¹/₂ W. 156 lks. dist.
 & to W. Oak 22 " " " N. 53¹/₂ E. 78 " "
 51.28 To " Do 13 " "
 80.00 Set post cor. to Sec. 29, 30, 31 & 32 from which
 to B. Oak 22 in. dia, bears S. 25¹/₂ W. 752 lks. dist.
 & to " Do 20 " " " N. 78¹/₂ E. 504 " "
 Land rolling barrens with small marshes. Clay
 Soil, third rate W. Y. & B. Oak & Hickory undergrowth
 Hazel bushes

West on Random between Sec. 29 & 32
 80.35 Intersect E. line of Sec. 5 lks. South of post, land
 rolling barrens and marshes. Clay Soil
 third rate Y. B. & W. Oak & Hickory undergrowth
 Willow & Red root.

West Correct line between Sec. 29 & 32
 6.66 To Y. Oak 16 in. dia.
 40.17¹/₂ Set Dr. Sec. post from which
 to B. Oak 8 in. dia, bears S. 62¹/₂ E. 27 lks. dist.
 & to W. Oak 20 " " " N. 85¹/₂ W. 91 " "
 41.39 To " Do 22 " "

Y. 35 N. - R. 9 W. 2nd Mer, Indiana

44.50 To a Hickory 18 in. dia.
80.35 Section corner,

West on Random between Sec. 30 & 31

20.50 Enter marsh course N. & S.

44.00 Leave Do

79.18 Intersect Range line 57 lks South of post
land rolling barrens with marshes. clay soil,
thin rate Y. W. & B. oak & Hickory scattering, under
growth Hazel & Yellow Willow bushes,

East Corner line between Sec. 30 & 31 S. 89° 35' E,
a Hickory 5 in. dia. bears N. 50° W. 66 lks. dist
+ a B. oak 6 " " " N. 70 W. 105 " "

39.18 Set Dr. Sec. post in marsh & water no mound
no bearings

79.18 Section corner,

North Between Sections 29 & 30

34.03 To a W. oak 22 in. dia.,

40.00 Set Dr. Sec. post from which

a W. oak 22 in. dia. bears S. 4 W. 74 lks. dist.
+ a " Do 20 " " " N. 4 E. 16 " "

67.66 To a Hickory 16 " "

80.00 Set post cor. to Sec. 19. 20. 29 & 30 from which

a Y. oak 10 in. dia. bears N. 46 W. 163 lks. dist.
+ a B. oak 12 " " " S. 75 W. 134 " "

land rolling barrens & marshes clay soil
thin rate B. W. & Y. oak & Hickory undergrowth
Hazel Willow & Red root

East on Random between Sec. 20 & 29

60.00 Leave Timber & Enter dry prairie cor. S. E. & N. W.

80.40 Intersect E. line of Sec. 12 lks. N. of post. land
60 lks W. rolling barrens mostly dry clay
soil 3rd rate Y. W. & B. oak & Hickory scattering

CSMS Undergrowth Hazel & Red root 20 lbs prairie dry
rolling clay soil 2nd rate.

West Correct line between Sec 20 & 29
40.20 Set Dr. S. C. post from which
 @ Hickory 18 in. dia. bears N. 62 W. 222 lbs dist.
 + @ B. Oak 22 " " " N. 84 W. 249 " "
80.40 Section corner.

West on Random between Sec 19 & 30
78.84 Enter at Range line 58 lbs South of post, land
rolling barrens & marshy. Clay Soil third rate
B. G. & W. Oak & Hovey. Scattering undergrowth
Hazel Willow and red root thick

East Correct line between Sec 19 & 30 S. 89° 35' E
 @ B. Oak 9 in. dia. bears S. 18 W. 61 lbs dist.
 + @ W. Oak 10 " " " N. 61½ E. 94 " "
38.84 Set Dr. S. C. post from which
 @ G. Oak 20 in. dia. bears S. 64 W. 3.84 lbs dist.
 no other near
78.84 Section corner. Sept 3rd 1834

North Between Sections 19 & 20
10.00 Leave Timber & Enter dry prairie on E. & W.
40.00 Set Dr. S. C. post in small marsh & water
 no mound or beavys
80.00 Set post on, to Sec 17, 18, 19 & 20, where raise
 a mound of earth & soil, land mostly
 rolling prairie clay soil 2nd rate, Hazel
 lashed, Robin weed & prairie grass

East on Random between Sec 17 & 20
36.00 Enter marsh corner N. E. & S. W.
65.00 Leave D. & Enter Timber
80.41 Enter at E. line of Sec 17 at post.

U.S. N. R. 9 W. 2nd Mer Indiana

62.00 Sand 1/2 mostly dry rolling prairie clay salt
2nd rate. 1/2 marsh & rolling barrens 3rd rate
Scattering Y & B. oak. Hazel bushes &c.

West. Corner line between Sec. 17 & 20

40.20 Set Dr. Sec. post in marsh & water no mound
nor bearings

80.41 Section corner.

West on Range line between Sec. 18 & 19

20.00 Leave prairie & enter timber

78.58 Antisept Range line 71 M. South of post, sand
20 chs. E. dry prairie 2nd rate W. rolling barrens &
marshy clay soil 3rd rate. Y. W. & B. oaks, Hickory
undergrowth Hazel & Willow.

East Corner line between Sec. 18 & 19 S. 89° 30' E.

at W. oak 15 in. dia. bears N. 52 1/2 E. 49 M. dist.

& at Hickory 6 " " " S. 30 E. 12 " "

38.58 Set Dr. Sec. post from which

at Hickory 7 in. dia. bears S. 53 W. 89 M. dist.

& at B. oak 18 " " " N. 70 1/2 E. 52 " "

78.58 Section corner.

North Between Sections 17 & 18

35.00 Leave prairie & enter scattering timber

40.00 Set Dr. Sec. post from which

at B. oak 8 in. dia. bears East 60 M. dist.

& at " Do 7 " " " N. 80 W. 10 " "

67.00 To Road from Laport to Rapids of Illinois River
corner E & W.

69.00 Leave timber & enter wet prairie corner E. & W.

80.00 Set post in wet prairie where there is no mound
corner to Sec. 5, 6, 7 & 8 from which

at Red oak 22 in. dia. bears N. 24 E. 75.6 M. dist.

& no other.

C. Lks. Land S. 1/2 rolling dry prairie Second rate N. 1/2
Sandy barrens and marsh (Y. B. & W. oak scattering,
undergrowth Hackberry & red root.

East on Random between Sec. 8 & 17
80.36 Intersect N. & S. line 14 lks South of post. Land wet
prairie 3rd rate Bullrushes & Marsh grass high & thick

West Corner line between Sec. 8 & 17
210.18 Set Dr. Sec. post when raise a mound
80.36 Section Corner

West on Random between Sec. 7 & 18
78.40 Intersect Range line West Boundary of Township
63 lks South of post, land level wet prairie 3rd rate

East Corner line between Sec. 7 & 18 S. 89° 35' E.
w Y. oak 7 in. dia. bears S. 20 E. 2.32 lks. dist.
w " " " " " S. 37 1/2 E. 3.25 " "
38.40 Set Dr. Sec. post from which
w Y. oak 22 in. dia. bears S. 20 E. 4.75 lks. dist.
no other,
78.40 Section Corner. Sept. 4th 1834

North Between Sections 7 & 8
40.00 Set Dr. Sec. post in water no mound no bearing
80.00 Set post cor. to Sec. 5, 6, 7 & 8 from which
w Y. oak 12 in. dia. bears N. 1/2 E. 13.60 lks. dist.
w " " " " " N. 60 W. 13.02 " "
Land wet prairie 3rd rate Bullrushes flag and
grass high & thick,

East on Random between Sec. 5 & 8
80.40 Intersect E. line of Sec. at post. Land wet prai-
rie third rate growth the same

T. 35 N. — R. 9 W. 9th Mer. Indiana

West Corner line between Sec. 5 & 6
 40.20 Set Dr. Sec. post where raise a mound
 80.40 Section Corner,

West on Ransom between Sec. 6 & 7
 65.60 To a Stream 30 lbs wide ex. N. E. sluggish muddy
 and Shallow
 76.28 Intersect Range line West Boundary of Township
 65 lbs South of post land level wet prairie 3rd rate

East Corner line between Sec. 6 & 7 8.89° 30' E.
 Corner
 38.28 Set Dr. Sec. post in water no mound no bearings
 76.28 Section Corner,

North Between Sections 5 & 6
 40.00 Set Dr. Sec. post where raise a mound
 83.96 Intersect N. Boundary of Township 126 lbs West
 of post where set post & raise a mound ex. to Sec.
 5 & 6, land all wet prairie, third rate. Scattering
 Red oak & H. oak on S. part Sept. 5th 1834

Township Thirty five North Range nine west
 Second Division in the aggregate is rolling thin
 Soil and mostly clay much the larger portion
 third rate and such as is generally termed barrens
 in S. & S.W. there is some dry prairie second rate
 Toward the North part there is a chain of low
 Sandy Ridged extending through from East to
 West North of which is generally wet prairie
 Timber generally scattering short & scrubby and of
 but small value there is a prevailing scarcity
 of pure water being no springs or running streams
 with the exception of one flat muddy branch
 which passes through the N. West corner,

I hereby certify that in pursuance of a contract with
Micajah T. Williams, Surveyor General of the United
States, for the State of Ohio, and Indiana, and the Surin-
toy of Michigan, bearing date the Twenty first day
of April 1834, and in strict conformity to the Laws of
the United States, and the instructions of said Surveyor
General, I have surveyed, and subdivided into Sec-
tions Township 35 N. in Range No. 9 W. Second Meridian
in the State of Indiana, and I do further certify that
the foregoing are the true and original field notes
of the said Survey and Subdivision, executed as
aforesaid. Certified this 6th day of Sept. 1834

William Clark, Dep't. Sur.

John Hoot }
John Preston } Chainmen
Burephymes } Marker

I certify that the foregoing transcript of field
of notes of Township 35 North of Range 9 West
2nd Meridian State of Indiana, has been compar-
ed with the original in this office and found
to be correct

William Johnston
S. Secy.

Surveyor General's office
Cincinnati
1842